Carbohydrate Research, 252 (1994) C3–C4
Elsevier Science B.V., Amsterdam

AUTHOR INDEX

Albersheim, P. 235
Alföldi, J. 317
An, J. 235
Ats, S.-C. 325
Auger, G. 107

Beynon, L.M. 263
Blanot, D. 107
Bock, K. 1

Carver, J.P. 159
Chandrasekaran, R. 183
Cleophax, J. 149
Coimbra, M.A. 245

Darvill, A.G. 235
Deredas, D. 275
Dubreuil, D. 149
Duisenberg, A.J.M. 19
Duus, J.Ø. 1

Ebringerová, A. 317

Falshaw, R. 171
Frankowski, A. 275
Furneaux, R.H. 171

Gabriel, J. 297
Gluziński, P. 97
Goddat, J. 159
Gotor, V. 55
Grey, A.A. 159
Grushcow, J. 159
Guo, G.-f. 303

Hadjoudis, E. 19
Hasegawa, A. 283
Hember, M.W.N. 209
Hodosi, G. 291
Hoover, R. 33
Hricovíni, M. 159

Ikemoto, N. 269
Ishida, H. 283, 283
Isogai, Y. 283

Kemme, A. 97
Kiso, M. 283
Knirel, Y.A. 309
Koike, K. 303
Krajewski, J.W. 97
Kubátová, E. 297
Kühn, I. 309

Lee, E.J. 183
Lehmann, J. 325
Li, H.-y. 303
Li, Y.-s. 303
Liger, D. 107
Loupy, A. 149

Machová, E. 317
Magnusson, G. 117, 137
Mamat, H.D.G.U. 309
Marcussen, J. 69
Masoud, H. 223
Mavridis, I.M. 19
Messmer, A. 85
Mishnev, A. 97
Møller, B.L. 69
Morris, E.R. 209
Motawia, M.S. 69

Neszmélyi, A. 85
Nilsson, U. 117, 137

Odonmažig, P. 317
Ogawa, S. 1
Ohmoto, T. 303
Ohta, Y. 283
Olsen, C.E. 69
O'Neill, M.A. 235

Pakulski, Z. 97
Palková, Z. 297

Perczel, A. 85
Petry, S. 325
Pintér, I. 85
Pospíšek, M. 297
Pulido, R. 55

Radha, A. 183
Ray, A.K. 117, 137
Richards, J.C. 223, 263
Richardson, R.K. 209
Rontoyianni, A. 19

Schulte, G.K. 269
Selvendran, R.R. 245
Shah, R.N. 159
Shashkov, A.S. 309

Tsukada, Y. 283

Van Heijenoort, J. 107
Vasanthan, T. 33
Volc, J. 297

Waldron, K.W. 245

Zamojski, A. 97
Zsoldos-Mády, V. 85

Carbohydrate Research, 252 (1994) C5–C7
Elsevier Science B.V., Amsterdam

SUBJECT INDEX

2-Acetamido-2-deoxyaldonolactones from sugar formazans, 85
Acetobacter methanolicus MB 58 (IMET B346), structure of the capsular polysaccharide and the O-side-chain of the lipopolysaccharide, 309
N-Acetylmuramic acid 1-phosphate, 107
Aldonolactones, preparation from sugar formazans of 2-acetamido-2-deoxy-, 85
Arabinogalactan isolated from Mongolian larchwood (*Larix dahurica* L.), structural and molecular properties, 317

Benzylation of polyols by phase-transfer catalysis or supported reagent methods, solvent-free, 149
Branched tetrasaccharide thioglycoside, synthesis and NMR spectra of a protected, a useful intermediate for the synthesis of branched oligosaccharides, 69
4-*tert*-Butylbenzoic acid, the crystal structure of the inclusion complex of cyclomaltoheptaose (β-cyclodextrin) with, 19

Capsular polysaccharide of *Rhodococcus equi* serotype 7, structural elucidation of the specific, 223
Capsular polysaccharide and the O-side-chain of the lipopolysaccharide from *Acetobacter methanolicus* MB 58 (IMET B346), 309
Carrageenan from the tetrasporic stage of *Gigartina decipiens* (Gigartinaecae, Rhodophyta), 171
Cell wall polymers from olive pulp (*Olea europaea*), isolation and characterisation, 245
Conformational studies, synthesis of di- and trisaccharides with intramolecular NH–glycosidic linkages: molecules with flexible and rigid glycosidic bonds for, 159
Conformational study of 12 pseudo-disaccharides (D-glucopyranosyl-5a-carba-D- and -L-glucopyranoses), an NMR spectroscopic and, 1
Cortalcerone, a convenient laboratory procedure for the preparation of, 297
Crystal structure, conformation, and synthesis of methyl 6-deoxy-2,3-*O*-isopropylidene-α-D-*manno*-heptofuranoside, 97
Cyclodextrin, the crystal structure of the inclusion complex of 4-*tert*-butylbenzoic acid with β-, 19

L-Dianose, a new monosaccharide from *Dianthus chinensis* L., 303
Dianthus chinensis L., L-dianose (a new monosaccharide) from, 303
Differing rates of galactosylation of homologous spacer-modified disaccharides are an indication for two separate GlcNAc binding-sites in galactosyltransferase, 325
Disaccharides (D-glucopyranosyl-5a-carba-D- and -L-glucopyranoses), an NMR spectroscopic and conformational study of 12 pseudo-, 1

Effect of heat–moisture treatment on the structure and physicochemical properties of cereal, legume, and tuber starches, 33
Enzymatic catalyzed process for the selective acylation of secondary hydroxyl groups of carbohydrates using oxime esters, 55
Enzymatic cortalcerone preparation from D-glucose, 297
D-Erythrofuranosyl C-nucleosides of imidazole from 4(5)-(D-*arabino*-tetritol-1-yl)imidazole, synthesis of, 275

Forssman pentasaccharide and terminal tetra-, tri-, and di-saccharide fragments, synthesis, 137
Fructofuranoside, X-ray structure of methyl 1,6-di-*O*-(4-bromobenzoyl)-3,4-di-*O*-(4-methoxycinnamoyl)-β-D-, 269

Galactosylation of homologous spacer-modified disaccharides are an indication for two sepa-

rate GlcNAc binding-sites in galactosyltransferase, differing rates of, 325
Ganglioside GD2, facile total synthesis, 283
Gel formation in aqueous dimethyl sulfoxide, native ordered structure of welan polysaccharide: conformational transitions and, 209
Globotetraose tetrasaccharide and terminal tri- and di-saccharide fragments, synthesis, 117
β-D-Glucosyluronic acid and 4-*O*-methyl β-D-glucosyluronic acid-containing oligosaccharides from the cell-wall pectic polysaccharide, rhamnogalacturonan I, isolation and structural characterization of, 235
Glycerol component in poly(glycosylglycerol phosphates), determination of the absolute configuration of the, by GLC–MS, 263

Heat–moisture treatment on the structure and physicochemical properties of cereal, legume, and tuber starches, effect of, 33
Heptofuranoside, synthesis, crystal structure, and conformation of methyl 6-deoxy-2,3-*O*-isopropylidene-α-D-*manno*-, 97
Hydroxy groups, sugar, oxidation of with triphenylphosphine–*N*-chlorosuccinimide–dimethyl sulfoxide, 291

Imidazole, synthesis of D-erythrofuranosyl C-nucleosides from 4(5)-(D-*arabino*-tetritol-1-yl)imidazole, 275
Immobilized enzyme preparation of cortalcerone, 297
Inclusion complex of cyclomaltoheptaose (β-cyclodextrin) with 4-*tert*-butylbenzoic acid, crystal structure, 19
Intramolecular NH–glycosidic linkages: molecules with flexible and rigid glycosidic bonds for conformational studies, synthesis of di- and tri-saccharides with, 159

Larchwood (*Larix dahurica* L.), structural and molecular properties of the arabinogalactan isolated from Mongolian, 317
Lipopolysaccharide from *Acetobacter methanolicus* MB 58 (IMET B346), structure of the capsular polysaccharide and the O-side-chain, 309

Methyl 6-deoxy-2,3-*O*-isopropylidene-α-D-*manno*-heptofuranoside, synthesis, crystal structure, and conformation, 97
Methyl 1,6-di-*O*-(4-bromobenzoyl)-3,4-di-*O*-(4-methoxycinnamoyl)-β-D-fructofuranoside, X-ray structure of, 269

Native ordered structure of welan polysaccharide: conformational transitions and gel formation in aqueous dimethyl sulfoxide, 209
C-Nucleosides of imidazole from 4(5)-(D-*arabino*-tetritol-1-yl)imidazole, synthesis of D-erythrofuranosyl, 275

Olive pulp (*Olea europaea*), isolation and characterisation of cell wall polymers from, 245
Oxidation of sugar hydroxy groups with triphenylphosphine–*N*-chlorosuccinimide–dimethyl sulfoxide, 291
Oxime esters in the selective enzymatic catalyzed acylation of secondary hydroxyl groups of carbohydrates using oxime esters in an enzymatic catalyzed process, 55

Pentasaccharide and terminal tetra-, tri-, and di-saccharide fragments, synthesis of the Forssman, 137
Phase-transfer catalysis or supported reagent methods, solvent-free benzylation of polyols by, 149
Poly(glycosylglycerol phosphates), determination of the absolute configuration of the glycerol component in, by GLC–MS, 263
Polymers from olive pulp (*Olea europaea*), isolation and characterisation of cell wall, 245
Polyols, solvent-free benzylation by phase-transfer catalysis or supported reagent methods, 149
Polysaccharide of *Rhodococcus equi* serotype 7, structural elucidation of the specific capsular, 223
Pseudo-disaccharides (D-glucopyranosyl-5a-carba-D- and -L-glucopyranoses), an NMR spectroscopic and conformational study, 1

Rhamnogalacturonan I, isolation and structural characterization of β-D-glucosyluronic acid and 4-*O*-methyl β-D-glucosyluronic acid-containing oligosaccharides from the cell-wall pectic polysaccharide, 235
Rhodococcus equi serotype 7, structural elucidation of the specific capsular polysaccharide of, 223

Selective acylation of secondary hydroxyl groups of carbohydrates using oxime esters in an enzymatic catalyzed process, 55
Spacer-modified disaccharides are an indication for two separate GlcNAc binding-sites in galactosyltransferase, differing rates of galactosylation of homologous, 325

Starches, effect of heat–moisture treatment on the structure and physicochemical properties of cereal, legume, and tuber, 33
Structural and molecular properties of the arabinogalactan isolated from Mongolian larchwood (*Larix dahurica* L.), 317
Structural roles of calcium ions and side chains in welan: an X-ray study, 183
Sugar formazans, 2-acetamido-2-deoxyaldonolactones from, 85
Synthesis of di- and tri-saccharides with intramolecular NH–glycosidic linkages: molecules with flexible and rigid glycosidic bonds for conformational studies, 159
Synthesis of the Forssman pentasaccharide and terminal tetra-, tri-, and di-saccharide fragments, 137
Synthesis of the globotetraose tetrasaccharide and terminal tri- and di-saccharide fragments, 117

Tetrasaccharide and terminal tri- and di-saccharide fragments, synthesis of the globotetraose, 117
Tetrasaccharide thioglycoside, synthesis and NMR spectra of a protected branched, a useful intermediate for the synthesis of branched oligosaccharides, 69
Thioglycoside, synthesis and NMR spectra of a protected branched tetrasaccharide, a useful intermediate for the synthesis of branched oligosaccharides, 69

UDP-*N*-Acetylmuramic acid, synthesis of α and β anomers, 107

Welan polysaccharide: conformational transitions and gel formation in aqueous dimethyl sulfoxide, native ordered structure of, 209
Welan: an X-ray study, structural roles of calcium ions and side chains in, 183

X-ray structure of methyl 1,6-di-*O*-(4-bromobenzoyl)-3,4-di-*O*-(4-methoxycinnamoyl)-β-D-fructofuranoside, 269
X-ray study, structural roles of calcium ions and side chains in welan: an, 183